

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|--|------------------|---------|---------------------|
| S1 | 4353 | 380/28,29,35-37,42,44,45,47,255.ccls. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:30 |
| S2 | 1730 | 713/189.ccls. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:30 |
| S3 | 15626 | (processor co\$1processor cipher encrypt?r decrypt?r algorithm) and (AES (advanced adj encryption adj standard)(symmetric near3 block near3 cipher)) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:31 |
| S4 | 15544 | (generat\$3 creat\$3 produc\$3 calculat\$3) near5 ((round\$3 sub cipher encrypt\$3 scrambl\$3 encipher\$3 extended) near3 key) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:31 |
| S5 | 210 | ((temporar\$3) near3 (stor\$3)) near6 ((round\$3 sub cipher encrypt\$3 scrambl\$3 encipher\$3 extended) near3 (key)) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:31 |
| S6 | 23 | ((encrypt\$3 encipher\$3 scrambl\$3 decrypt\$3 decipher\$3 descrambl\$3) with (key near5 generat\$3)) with (asynchronous) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:31 |
| S7 | 6 | ((pre\$1calculat\$3 pre\$1generat\$3) near5 (key)) same (AES (advanced adj encryption adj standard) (symmetric near3 block near3 cipher)) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:31 |
| S8 | 165 | ((time duration period instant) near5 (key near3 (generat\$3 creat\$3 calculat\$3 produc\$4))) same attack | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:31 |
| S9 | 112 | (rotat\$3 near3 pointer) near6 (buffer stor\$3 table) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:31 |
| S10 | 30 | S3 and S4 and S5 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:32 |

| | | | | | | |
|-----|-------|---|--|----|----|---------------------|
| S11 | 2228 | S3 and S4 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:32 |
| S12 | 485 | S11 and (S1 S2) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:32 |
| S13 | 5 | S12 and S8 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:32 |
| S14 | 772 | S3 and (S1 S2) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:33 |
| S15 | 2 | S14 and S6 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:33 |
| S16 | 5 | S14 and S7 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:33 |
| S17 | 5 | S14 and S8 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:33 |
| S18 | 4 | S5 and S8 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/10/06 07:33 |
| S19 | 4596 | 380/28,29,35- 37,42,44,45,47,255.ccls. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:19 |
| S20 | 1840 | 713/189.ccls. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:20 |
| S21 | 16595 | (processor co\$1processor cipher encrypt?r decrypt?r algorithm) and (AES (advanced adj encryption adj standard)(symmetric near3 block near3 cipher)) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:20 |
| S22 | 16374 | (generat\$3 creat\$3 produc \$3 calculat\$3) near5 ((round \$3 sub cipher encrypt\$3 scrambl\$3 encipher\$3 extended) near3 key) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:20 |

| | | | | | | |
|-----|------|---|--|----|----|---------------------|
| S23 | 224 | ((temporar\$3) near3 (stor\$3)) near6 ((round\$3 sub cipher encrypt\$3 scrambl\$3 encipher\$3 extended) near3 (key)) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:20 |
| S24 | 25 | ((encrypt\$3 encipher\$3 scrambl\$3 decrypt\$3 decipher\$3 descrambl\$3) with (key near5 generat\$3)) with (asynchronous) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:20 |
| S25 | 6 | ((pre\$1calculat\$3 pre\$1generat\$3) near5 (key)) same (AES (advanced adj encryption adj standard) (symmetric near3 block near3 cipher)) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:20 |
| S26 | 168 | ((time duration period instant) near5 (key near3 (generat\$3 creat\$3 calculat\$3 produc\$4))) same attack | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:21 |
| S27 | 112 | (rotat\$3 near3 pointer) near6 (buffer stor\$3 table) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:21 |
| S28 | 34 | S21 and S22 and S23 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:21 |
| S29 | 2417 | S21 and S22 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:22 |
| S30 | 128 | S29 and S20 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/02/03 13:22 |
| S31 | 540 | S29 and (S19 S20) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:22 |
| S32 | 12 | S31 and S23 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:24 |
| S33 | 1 | S31 and S24 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:24 |
| S34 | 6 | S31 and S26 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:25 |

| | | | | | | |
|-----|-----|---|--|----|----|---------------------|
| S35 | 857 | S21 and (S19 S20) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/02/03 13:25 |
| S37 | 2 | S35 and S24 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/02/03 13:26 |
| S38 | 5 | S35 and S25 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/02/03 13:27 |
| S39 | 6 | S35 and S26 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/02/03 13:27 |
| S40 | 4 | S23 and S26 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/02/03 13:27 |
| S41 | 2 | (asynchronous adj bus) and (request adj line) and (acknowledgement adj line) and (data adj line) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2009/04/21 17:26 |

4/ 21/ 2009 5:32:25 PM

**C:\ Documents and Settings\ nguyen86\ My Documents\ EAST\ Workspaces\ Processor for
encrypting decrypting\ 1_4.wsp**